www.Toilets.com www.PortaJohn.com

Explanation of the Different Characteristics of the Porta John® Brand Drop Tank Toilet

Table of Contents

Model FPT 300 Patented Folding Portable Toilet Page 2

Ships Fully Assembled in a Folded Position 100 to a 40' Shipping Container

Model GJ 350 Green John® Portable Toilet Page 3

Ships 80% Assembled - 100 to a 40' Shipping Container

Model SJ 450 Sani Jon® Portable Toilet Page 4 - 5

Ships 80% Assembled - 80 to a 40' Shipping Container

Model SJDV 450 Sani Jon® Portable Toilet Page 5

Portable Toilet Handwash Sink Installed Pages 6 - 7

What is Included with Every Sani Jon® Page 8

Porta John® Portable Toilet Deodorizing Chemicals Page 9 - 10

Explanation of the Different Characteristics of the Porta John® Brand Drop Tank Toilet

The unique characteristics of Model FPT 300 patented folding portable toilet:

Dimensions 41" (1.04m) x 41" (1.04m) x 84" (2.90M) Holding Tank Capacity 65 Gallon (246 liters)

Ships Completely Assembled in the Folded Position.
Flip Top Holding Tank Allows for Complete Cleaning and Inspection for Trash









10 Complete Model FPT 300

Model FPT 300

Flip Top Holding Tank

Assembles and disassembles in less than 3 minutes









Holding tank fits through the door of the Model FPT 300.



Explanation of the Different Characteristics of the Green John® Model GJ 350 Drop Tank Toilet

The unique characteristics of Model GJ 350 folding portable toilet:

Dimensions 41" (1.04m) x 41" (1.04m) x 84" (2.90m) Holding Tank Capacity 65 Gallon (246 liters)

100 Percent Aluminum Covered Corners and Edges

Door Jamb is Aluminum

All Corners Are Covered by 2" Aluminum Angles
Floor is Plastic Covered

Threshold & Kick-Plate are Galvanized Steel
4 Stainless Steel Door Hinges
Unit Anchored to Floor with Eleven Steel Bolts
Floor Anchored to 4" by 4" Treated Runners by 4 - 6" Steel Bolts
The Green John® is shipped 80% assembled and 50 can be shipped in a 20' container.





Economical, Attractive
Designed for Low Maintenance
Light-Enhancing Roof
41" x 41" x 80"
1.04m x 1.04m x 2.90m
186 lbs.

Aluminum Covered Edges



Holding Tank has a Flip Top Lid for Safety and Easy Cleaning

GJ 350 Can be Fitted With a Dump Valve for a Shower or Waste Disposal




The Green John® is shipped 80% assembled and 50 can be shipped in a 20' container.

Explanation of the Different Characteristics of the Sani Jon® Model SJ 450 Drop Tank Toilet

The unique characteristics of the Model SJ 450 folding portable toilet: Dimensions 44" (112cm) x 44" (112cm) x 89" (239cm) Holding Tank Capacity 68 Gallon (257 liters)



Exterior Aluminum Corner



Interior Aluminum Corner



Model SJ 450

The Sani Jon® has double covered corners and is manufactured to be both versatile and sturdy to allow for years of use. It is fitted with dump valves, showers, comfort stations and hand wash sinks. The Sani Jon® is shipped 80% assembled and 40 can be shipped in a 20′ container.



SJS 450



SJCS 600



SJHW 450







Holding Tank With Dump Valve Attachment

Sani Jon ® Dump Valve Model SJDV 450





SJDV 450 – Under Section Dump Assembly

Rear View Of Dump Valve With Cap



Dual Dump Valve Toilet Trailer with Internal Sinks



Dual Toilet Dump Valve Assembly



Rear View of Dump Valve Model SJ 450



Each Dump Valve Equipped Sani Jon® is shipped with the dump assembly attached to the toilet floor platform. Any additional parts are shipped in the holding tank.

Porta John® Portable Toilet and Sink Combination

Sink Waste Water Exit is in The Holding Tank Sink Replaces The Urinal (Urinal is Included)





Model SJHD 450SI
Dimensions: 44" x 44" x 89"
70 Gallon (280L) Holding Tank
12 Gallon (48L) Sink
Ships 60 in a 40' Container





Model GJ 350SI
Dimensions: 41" x 41" x 80"
65 Gallon (260L) Holding Tank
12 Gallon (48L) Sink
Ships 70 in a 40' Container

<u>info@toilets.com</u> <u>www.toilets.com</u> 800-521-6310 USA

586-739-4611 International





Model FPT 300SI Folding Toilet Dimensions: 41" x 41" x 80" 65 Gallon (245L) Holding Tank 12 Gallon (48L) Sink

Ships 70 in a 40' Container Ships 100% Assembled in a Folded Position

Each Sink Includes: Foaming Hand Soap and Paper Towel Dispensers and a Supply of Consumables



12 Gallon (48 Liter Sink) Front View



Foaming Hand Soap
Paper Towel
Toilet Tissue
Dispensers
Included



SJHD 450 + Internal 12 Gallon Sink Trailer Mounted



12 Gallon (48 Liter Sink) Rear View



Sink Dual Discharge Option

What is Included with Every Sani Jon®

www.PortaJohn.com

Portable Toilet Consumables

www.toilets.com

- www.handsanitizers.com



www.handsanitizers.com www.toilets.com Hand Sanitizer Dispenser Included in the Consumables Package



www.handsanitizers.com

Hand Sanitizer Refill
Included in the Consumables Package



Jumbo Toilet Tissue Holder Paper Included with Installation

Equivalent to Five Standard Rolls of Tollet Paper

Starter Supply of Portable Toilet Deodorizer



PortableToiletChemicals.com ToiletChemicals.com



When ordering with a portable toilet purchase, we ship 1 drum in 11 – five gallon pails at the drum price. This reduces the freight cost by reducing the cu. ft. The chemical ratio is 1 to 100 gallons of water. To request a quote e-mail:

info@toilets.com

Two 5 gallon pails can ship in any of our portable toilet holding tanks. The chemical mixing ratio is 1 to 100 gallons of water.

To request a quote please E-mail:

info@toilets.com





The handy one gallon size container of our EMJ 2075 mixing ratio is 1 to 100 and will work in RV and/or portable toilets. Please feel free to

E-mail: info@toilets.com



Portable Restroom Deodorizer CONCENTRATE

MIXING AND USE DIRECTIONS

EMJ2075 masks the odor in portable toilet holding tanks. Use in 5 gallons (20 liters) of water, leaving behind a fresh scent. Our chemical will keep a constant deep blue color. The resulting solution can also be used to clean and deodorize the entire unit.

Use the method that works best for you:

| Heat/Traffic | RTU Mix | Conc Use |
|-----------------------|--------------|-------------|
| Moderate & Low-Medium | 3 - 6 oz | |
| 1 - 3 oz | | |
| | (90-180 ml) | (30-90 ml) |
| Moderate & Heavy | 4 - 8 oz | 1 - 4 oz |
| | (120-240 ml) | (30-120 ml) |
| Extreme & Low-Medium | 4 - 8 oz | 1 - 4 oz |
| | (120-240 ml) | (30-120 ml) |
| Extreme & Heavy | 8 - 12 oz | 3 - 8 oz |
| | (240-360 ml) | (90-240 ml |

DISPOSAL AND STORAGE

- Triple rinse container.
- Dispose of in sanitary landfill or by method approved by state and local authorities.

DO NOT CONTAMINATE WATER, FEED OR FOOD
ALWAYS KEEP CONTAINER CLOSED WHEN STORED MADE IN THE USA

KEEP OUT OF REACH OF CHILDREN

• CAUTION; DO NOT INGEST. PROTECT EYES AND SKIN FROM CONTACT WITH THIS CHEMICAL. USE EXTREME CARE WHEN HANDLING THIS PRODUCT – THIS PRODUCT WILL STAIN. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR AS THIS MAY CAUSE ALLERGIC REACTION.

FIRST AID:

For Ingestion: Drink 1-2 glasses of water. Induce vomiting by sticking finger down throat or by giving soapy or salty water to drink. Repeat until vomit is clear and call a physician. Never give anything by mouth to an unconscious person.

Eye Contact: Immediately flush with water. Consult a physician immediately.

For Inhalation: Remove person to fresh air. If breathing is difficult, give oxygen. Call a physician.

Skin Contact: Immediately flush with water. Remove and wash contaminated clothing and footwear. If irritation occurs, consult a physician.